GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR&RD Department – Allegations of irregularities in execution of Project for comprehensive development of SC/ST Colonies under MGNREGS in YSR Kadapa District - Charges framed against Sri S. Subramanyam, the then MEO., MP, Kamalapuram (M) YSR Kadapa District and (2) others - Engineer-in-Chief, PR was appointed as Inquiry Officer to Inquiry into the charges framed against COs - Change of Inquiry Authority under sub-rule (2) of Rule 20 of APCS (CC&A) Rules, 1991- Orders – Issued.

==========

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 653 **Dated: 19-11-2020.**

Read the following:-

1)G.O.Rt.No.342 PR & RD (Vig.II) Dept., Dt: 18-4-2018.
2)G.O.Rt.Nos.345, 347 & 348 PR&RD(Vig.II)Dept.,Dt:18-4-2018.
3)G.O.Rt.No.343 PR&RD(Vig-II)Dept.,Dt:29-04-2019.
4)From Engineer-in-Chief, PR, Vijayawada Lr.No.Vig(4)/337681/2017 Dated:26-10-2020.

<o>

ORDER:-

In the reference 1st & 2nd read above, Government have initiated common/disciplinary proceedings on the allegations of irregularities in execution of Project for comprehensive development of SC/ST Colonies under MGNREGS in YSR Kadapa District under Rule 20 of the APCS (CC& A) Rules,1991 against the following C.O.s:

1) Sri S. Subramanyam, AE, the then MEO, MP, Kamalapuram (M), YSR Kadapa District now working as MEO, LR Palli, YSR Kadapa District.
2) Sri P. Nageswara Rao, the then EE PRI Division Kadapa and now retired as SE, PR Circle. Nellore.
3) Sri S. Hyder, DEE, PR SD, Kamalapuram, YSR Kadapa District now retired

2. In the reference 3rd read above, Government have appointed the Engineer-in-Chief, PR, Vijayawada as Inquiry Officer to conduct inquiry into the charges framed against the above (3) C.Os on the irregularities in execution of Project for comprehensive development of SC/ST Colonies under MGNREGS in YSR Kadapa District and the Chief Engineer, PR, NABARD has been appointed as Presenting Officer to present the case therein.

3. In the reference 4th read above, the Inquiry Officer & the Engineer-in-Chief, PR has stated that at present there is heavy work load in PR Engineering Department like AIIB PROJECT, PMGSY, Construction of Gram Sachivalayams, MANA BADI NAADU-NEDU, MGNREGS etc., which are time bound programmes and also to attend Video Conferences and Tele Conferences on the above programmes, it will become difficult to conduct the enquiry by the Engineer-in-Chief, PR, Vijayawada, therefore he requested to change the Enquiry Officer & Presenting Officer.

4. Government, after examination of the matter and in partial modification of the orders issued in the reference 3rd read above, hereby appoint the Chief Engineer, PR (Vig.&QC & NABARD) O/o the ENC, PR, AP, Vijayawada as the Inquiry Authority and the Superintending Engineer, PR, YSR Kadapa District as Presenting Officer under rule 20 (2) of the A.P.C.S (CC&A) Rules, 1991 to present the case before the Inquiring Officer on behalf on the disciplinary authority.

Contd...2..page-2.

5. The Inquiry Authority is requested to conduct Inquiry strictly in terms of rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 and submit the Inquiry Report as required under (18) (ii) of the above said Rules and within the stipulated time. Copies of Charge Memoranda issued to the Charged Officers and their written statements of defence are herewith furnished to the Inquiry Authority as required under rule 20 (7) of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI,
PRINCIPAL SECRETARY TO GOVERNMENT.

To
The individuals concerned through the Engineer-in-Chief, Panchayat Raj, Vijayawada.
The Inquiry Officer & Chief Engineer, (Vig.&QC & NABARD) O/o the ENC, PR, AP, Vijayawada.
The Presenting Officer & Superintending Engineer, PR, YSR Kadapa District.
The Engineer-in-Chief, PR, Vijayawada.
SF/SC

//FORWARDED::BY ORDER//

SECTION OFFICER